


[Jump to Content](#)[Increase text size](#) [Decrease text size](#)[Sign In](#) [View Cart](#) [Feedback](#) [Help](#)[Volume/Page](#) [Keyword](#) [DOI](#) [Citation](#) [Advanced](#)http://apl.aip.org/apl_50th

Peer-reviewed

[Home](#) [Browse](#) [About](#) [Authors](#) [Librarians](#) [Features](#) [Purchase Content](#) [Advertisers](#) [Scitation](#) [AIP Journals](#)

Celebrating 50 Years of *Applied Physics Letters*!

This collection represents the most highly cited papers ever published in *Applied Physics Letters*. These articles stand as a testament to the hard work and outstanding contributions of you, our authors, to the applied physics field and to the scientific community at large. We invite you to browse these papers and more as we celebrate our first 50 years of providing highly relevant, highly cited work to the world of physics. We know the next 50 years will be just as exciting!



Collection of Cover Images (2003–2011)

[+ Google calendar](#)**ADVERTISEMENT**
ESP^{Ion}
Langmuir Probe**HIDEN**
ANALYTICAL
HidenAnalytical.com

Top 50 Most Cited Papers from 50 Years of *Applied Physics Letters*

Organic electroluminescence
C. W. Tang and S. A. VanSlyck
Appl. Phys. Lett. **51**, 913

Electronic analog of the electro-optic modulator Supriyo Datta and Biswajit Das <i>Appl. Phys. Lett.</i> 56 , 665 (1990)	Multidimensional quantum well laser and temperature dependence of its threshold current Y. Arakawa and H. Sakaki <i>Appl. Phys. Lett.</i> 40 , 939 (1982)	Candela-class high-brightness InGaN/AlGaN double-heterostructure blue-light-emitting diodes Shuji Nakamura, Takashi Mukai, and Masayuki Senoh <i>Appl. Phys. Lett.</i> 64 , 1687 (1994)
Submicrosecond bistable electro-optic switching in liquid Noel A. Clark and Sven T. Lagerwall <i>Appl. Phys. Lett.</i> 36 , 899 (1980)	A highly processable metallic glass: $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10.0}Be_{22.5}$ A. Peker and W. L. Johnson <i>Appl. Phys. Lett.</i> 63 , 2342 (1993)	Visible light emission from semiconducting polymer diodes D. Braun and A. J. Heeger <i>Appl. Phys. Lett.</i> 58 , 1982 (1991)
Reversible conductivity changes in discharge-produced amorphous Si D. L. Staebler and C. R. Wronski <i>Appl. Phys. Lett.</i> 31 , 292 (1977)	Tunneling in a finite superlattice R. Tsu and L. Esaki <i>Appl. Phys. Lett.</i> 22 , 562 (1973)	Electronic structure of chiral graphene tubules R. Saito, M. Fujita, G. Dresselhaus, and M. S. Dresselhaus <i>Appl. Phys. Lett.</i> 60 , 2204 (1992)
Single- and multi-wall carbon nanotube field-effect transistors R. Martel, T. Schmidt, H. R. Shea, T. Hertel, and Ph. Avouris <i>Appl. Phys. Lett.</i> 73 , 2447 (1998)	(Ga,Mn)As: A new diluted magnetic semiconductor based on GaAs H. Ohno, A. Shen, F. Matsukura, A. Oiwa, A. Endo, S. Katsumoto, and Y. Iye <i>Appl. Phys. Lett.</i> 69 , 363 (1996)	Very high-efficiency green organic light-emitting devices based on electrophosphorescence M. A. Baldo, S. Lamansky, P. E. Burrows, M. E. Thompson, and S. R. Forrest <i>Appl. Phys. Lett.</i> 75 , 4 (1999)
Two-layer organic photovoltaic cell C. W. Tang <i>Appl. Phys. Lett.</i> 48 , 183 (1986)	2.5% efficient organic plastic solar cells Sean E. Shaheen, Christoph J. Brabec, N. Serdar Sariciftci, Franz Padinger, Thomas Fromherz, and Jan C. Hummelen <i>Appl. Phys. Lett.</i> 78 , 841 (2001)	Optically pumped lasing of ZnO at room temperature D. M. Bagnall, Y. F. Chen, Z. Zhu, T. Yao, S. Koyama, M. Y. Shen, and T. Goto <i>Appl. Phys. Lett.</i> 70 , 2230 (1997)
Imprint of sub-25 nm vias and trenches in polymers Stephen Y. Chou, Peter R. Krauss, and Preston J. Renstrom <i>Appl. Phys. Lett.</i> 67 , 3114 (1995)	Magnetic and electric properties of transition-metal-doped ZnO films Kenji Ueda, Hitoshi Tabata, and Tomoji Kawai <i>Appl. Phys. Lett.</i> 79 , 988 (2001)	Direct formation of quantum-sized dots from uniform coherent islands of InGaAs on GaAs surfaces D. Leonard, M. Krishnamurthy, C. M. Reaves, S. P. Denbaars, and P. M. Petroff <i>Appl. Phys. Lett.</i> 63 , 3203 (1993)
Resonant tunneling in semiconductor double barriers L. L. Chang, L. Esaki, and R. Tsu <i>Appl. Phys. Lett.</i> 24 , 593 (1974)	Optical stethoscopy: Image recording with resolution $\lambda/20$ D. W. Pohl, W. Denk, and M. Lanz <i>Appl. Phys. Lett.</i> 44 , 651 (1984)	Large magnetic-field-induced strains in Ni₂MnGa single crystals K. Ullakko, J. K. Huang, C. Kantner, R. C. O'Handley, and V. V. Kokorin <i>Appl. Phys. Lett.</i> 69 , 1966 (1996)
Blue-green laser diodes M. A. Haase, J. Qiu, J. M. DePuydt, and H. Cheng <i>Appl. Phys. Lett.</i> 59 , 1272 (1991)	Transmission of stationary nonlinear optical pulses in dispersive dielectric fibers. I. Anomalous dispersion Akira Hasegawa and Frederick Tappert <i>Appl. Phys. Lett.</i> 23 , 142 (1973)	A silicon nanocrystals based memory Sandip Tiwari, Farhan Rana, Hussein Hanafi, Allan Hartstein, Emmanuel F. Crabbé, and Kevin Chan <i>Appl. Phys. Lett.</i> 68 , 1377 (1996)

[Back to Top](#)

© 2013 AIP Publishing LLC

